CEREAL CHEMISTRY®

Author Index to Volume 90

Page numbers of errata are in italic.

Altamirano-Fortoul, R. See C. M. Rosell, 89

Ames, N. P. See S. V. Harding, 474

Anderson, O. D. See G. H. Robertson, 1, 13

Anderssen, R. S. See R. Haraszi, 430

Annor, G. A., M. Marcone, E. Bertoft, and K. Seetharaman, In Vitro Starch Digestibility and Expected Glycemic Index of Kodo Millet (Paspalum scrobiculatum) as Affected by Starch-Protein-Lipid Interactions, 211

Anyango, J. O. See J. Taylor, 344

Araki, T. See T. Maeda, 175

Azem F. See D. M. Le. 439

Azzini, E. See A. Durazzo, 169

Bae, H. J. See M. Y. Kang, 497

Bai, Q., R. Yang, L. Zhang, and Z. Gu, Salt Stress Induces Accumulation of γ-Aminobutyric Acid in Germinated Foxtail Millet (Setaria italica L.), 145 Baik, B.-K. See H.-W. Choi, 150; L. Lu, 132

Bassi, S. D. See C. C. Maningat, 515

Bean, S. See G. W. Selling, 204

Bello-Pérez, L. A. See B.-H. Lee, 335

Bergenståhl, B. See A.-C. Eliasson, 326

Bertoft, E., On the Building Block and Backbone Concepts of Amylopectin Structure, 294

See G. A. Annor, 211; B. Hamaker, 273; K. Seetharaman, 288

Bett-Garber, K. L., J. M. Lea, M. A. Watson, and E. T. Champagne, Influence of Cooking Formulation on Flavor and Hydrophilic Oxygen Radical Absorption Capacity Values of Whole Grain Colored Rice, 58

A. M. McClung, and M.-H. Chen, Correlation of Sensory, Cooking, Physical, and Chemical Properties of Whole Grain Rice with Diverse

Bran Color, 521

Bhadra, R., K. Muthukumarappan, and K. A. Rosentrater, Effects of Varying CDS Levels and Drying and Cooling Temperatures on Flowability Properties of DDGS, 35

Bjørnstad, Å. See S. Teckle, 181

Blechl, A. E. See R. A. Graybosch, 164; G. H. Robertson, 1

Blennow, A., S. L. Jensen, S. S. Shaik, K. Skryhan, M. Carciofi, P. B. Holm, K. H. Hebelstrup, and V. Tanackovic, Future Cereal Starch Bioengineering: Cereal Ancestors Encounter Gene Technology and Designer Enzymes, 274

Bock, J. E., R. K. Connelly, and S. Damodaran, Impact of Bran Addition on Water Properties and Gluten Secondary Structure in Wheat Flour Doughs Studied by Attenuated Total Reflectance Fourier Transform Infrared Spectroscopy, 377

Bonomi, F., S. Iametti, G. Mamone, and P. Ferranti, The Performing Protein: Beyond Wheat Proteomics?, 358

Botes, W. C. See M. Manley, 540

Brașoveanu, M., G. Crăciun, E. Mănăilă, D. Ighigeanu, M. R. Nemțanu, and M. N. Grecu, Evolution of the Levels of Free Radicals Generated on Wheat Flour and Wheat Bran by Electron Beam, 469

Brijs, K. See J. Buggenhout, 490; B. Van Steertegem, 269, 608

Bryant, R. J., A. K. Jackson, K. M. Yeater, W. G. Yan, A. M. McClung, and R. G. Fjellstrom, Genetic Variation and Association Mapping of Protein Concentration in Brown Rice Using a Diverse Rice Germplasm Collection, 445

Buggenhout, J., K. Brijs, and J. A. Delcour, Impact of Starch Gelatinization and Kernel Fissuring on the Milling Breakage Susceptibility of Parboiled Brown Rice, 490

Bunzel, M. See M. L. Jilek, 507

Cantor del Angel, A. I. See L. Chaires Martinez, 263

Cao, T. K. See G. H. Robertson, 1, 13

Carcea, M. See A. Durazzo, 169

Carciofi, M. See A. Blennow, 274

Chaires Martinez, L., M. A. Perez Vargas, A. I. Cantor del Angel, F. Cruz Bermudez, and H. A. Jimenez Avalos, Total Phenolic Content and Antioxidant Capacity of Germinated, Popped, and Cooked Huauzontle (Chenopodium berlandieri spp. nuttalliae) Seeds, 263

Champagne, E. T. See K. L. Bett-Garber, 58

Chang, S. I. See L. Liu, 453

Chen, H. See F. Wu, 601

Chen, L., R. L. Madl, and P. V. Vadlani, Nutritional Enhancement of Soy Meal via Aspergillus oryzae Solid-State Fermentation, 529

Chen, M.-H. See K. L. Bett-Garber, 521

Chen, N. See L. Xie, 587

Chen, Y. R. See R. A. Graybosch, 164

Chiremba, C., M. Siwela, L. W. Rooney, and J. R. N. Taylor, Hardness Changes and Endosperm Modification During Sorghum Malting in Grains of Varying Hardness and Malt Quality, 138

Choi, H.-W., and B.-K. Baik, Significance of Wheat Flour Particle Size on

Sponge Cake Baking Quality, 150

Connelly, R. K. See J. E. Bock, 377

Cortez-Rocha, M. O. See N. Ponce-García, 558

Crăciun, G. See M. Brașoveanu, 469

Crosbie, G. B. See H. A. Limley, 231

Cruz Bermudez, F. See L. Chaires Martinez, 263

Damodaran, S. See J. E. Bock, 377

Delcour, J. A. See J. Buggenhout, 490; M. Mendis, 240; A. Pauly, 564; B. Van Steertegem, 269, 608

Dennett, A. L., M. A. Wilkes, and R. M. Trethowan, Characteristics of Modern Triticale Quality: The Relationship Between Carbohydrate Properties, α -Amylase Activity, and Falling Number, 594

Diepeveen, D. A. See H. A. Limley, 231

Dimić, E. See O. Radočaj, 256

Doblado-Maldonado, A. F., and D. J. Rose, Particle Distribution and Composition of Retail Whole Wheat Flours Separated by Sieving, 127

Doehlert, D. C., S. Simsek, D. Thavarajah, P. Thavarajah, and J.-B. Ohm, Detailed Composition Analyses of Diverse Oat Genotype Kernels Grown in Different Environments in North Dakota, 572

Don, C. See C. M. Rosell, 89

Dong, Y. See S. Teckle, 181

Draga, A. See B. V. McCleary, 396

Du, Y. See Xiaoyan Song, 114

Duan, X. See F. Wu, 601

Dubat, A. See C. M. Rosell, 89

Durazzo, A., E. Azzini, V. Turfani, A. Polito, G. Maiani, and M. Carcea, Effect of Cooking on Lignans Content in Whole-Grain Pasta Made with Different Cereals and Other Seeds, 169

Eliasson, A.-C., B. Bergenståhl, L. Nilsson, and M. Sjöö, From Molecules to Products: Some Aspects of Structure-Function Relationships in Cereal Starches, 326

Fallahi, P., K. A. Rosentrater, K. Muthukumarappan, and M. Tulbek, Effects of Steam, Moisture, and Screw Speed on Physical Properties of DDGS-Based Extrudates, 186

Ferranti, P. See F. Bonomi, 358

Fierens, E. See A. Pauly, 564

Figueroa-Cárdenas, J. D. See N. Ponce-García, 558

Fjellstrom, R. G. See R. J. Bryant, 445

Foian, P. See D. M. Le, 439

Fox, G. P. See M. Manley, 540

Fuerst, E. P. See A. M. Kiszonas, 47, 387

Gällstedt, M. See E. Johansson, 367

Gebruers, K. See M. Mendis, 240

Gil, S. See X. Shen, 157

Gilbert, R. G., T. Witt, and J. Hasjim, What Is Being Learned About Starch Properties from Multiple-Level Characterization, 312

. See E. Li, 223 Giroux, M. J. See L. E. Talbert, 249

Godwin, I. D. See E. Li, 223

Graybosch, R. A., B. Seabourn, Y. R. Chen, and A. E. Blechl, Transgenic Enhancement of High-Molecular-Weight Glutenin Subunit 1Dy10 Concentration: Effects in Wheat Flour Blends and Sponge and Dough Baking, 164

Grecu, M. N. See M. Braşoveanu, 469

Gregorski, K. S. See G. H. Robertson, 1

Gu, Z. See Q. Bai, 145; C. Wood, 70

Hamaker, B., K. Seetharaman, and E. Bertoft, Introduction to the Focus Issue, 273 Hamaker, B. R. See B.-H. Lee, 335

Haraszi, R., A. Juhász, M. Sissons, M. Rakszegi, L. Tamás, and R. S. Anderssen, Rheological Hardness Index for Assessing Hardness of Hexaploids and Durums 430

Harding, S. V., J. Storsley, S. J. Thandapilly, and N. P. Ames, Lower 30 Minute Serum Insulin in Healthy Sprague-Dawley Rats Consuming Chips from Specific Barley Flour Blends, 474

Hasjim, J. See R. G. Gilbert, 312; E. Li, 223

Hayakawa, F. See T. Sasaki, 101

Hebelstrup, K. H. See A. Blennow, 274

Hedenqvist, M. S. See E. Johansson, 367

Hicks, K. B. See R. A. Moreau, 546

Hofer, P. See L. E. Talbert, 249

Holm, P. B. See A. Blennow, 274

Hou, G. G., R. Saini, and P. K. W. Ng, Relationship Between Physicochemical Properties of Wheat Flour, Wheat Protein Composition, and Textural Properties of Cooked Chinese White Salted Noodles, 419

Hu, P. See L. Xie, 587

Hu, X. See H. Shi, 24

Huang, W. See F. Wang, 463

Hurkman, W. See G. H. Robertson, 1, 13

Hussain, A., H. Larsson, R. Kuktaite, M. L. Prieto-Linde, and E. Johansson, Amount and Size Distribution of Monomeric and Polymeric Proteins in the Grain of Organically Produced Wheat, 80

See E. Johansson, 367

Hussain, S. Z., and B. Singh, Effect of Extrusion Conditions on Pasting Behavior and Microstructure of Refabricated Rice: A Response Surface Analysis. 480

Iametti, S. See F. Bonomi, 358

Ighigeanu, D. See M. Brașoveanu, 469

Jackson, A. K. See R. J. Bryant, 445

Jackson, D. S. See D. Lemlioglu-Austin, 579

Jensen, S. L. See A. Blennow, 274

Jiao, G. See L. Xie, 587

Jilek, M. L., and M. Bunzel, Dehydrotriferulic and Dehydrodiferulic Acid Profiles of Cereal and Pseudocereal Flours, 507

Jimenez Avalos, H. A. See L. Chaires Martinez, 263

Jin, Z. See F. Wu, 601

Johansson, E., A. H. Malik, A. Hussain, F. Rasheed, W. R. Newson, T. Plivelic, M. S. Hedenqvist, M. Gällstedt, and R. Kuktaite, Wheat Gluten Polymer Structures: The Impact of Genotype, Environment, and Processing on Their Functionality in Various Applications, 367

____. See A. Hussain, 80

Juhász, A. See R. Haraszi, 430

Kang, M. Y., C. W. Rico, H. J. Bae, and S. C. Lee, Antioxidant Capacity of Newly Developed Pigmented Rice Cultivars in Korea, 497

Khir, R. See Z. Pan, 107

Kim, C. Y. See B.-H. Lee, 335

Kiszonas, A. M., E. P. Fuerst, and C. F. Morris, A Comprehensive Survey of Soft Wheat Grain Quality in U. S. Germplasm, 47

_____, and _____. Wheat Arabinoxylan Structure Provides Insight into Function, 387

Klinhom, J. See T. Laokuldilok, 552

Klocke, N. See L. Liu, 453

Ko, S. See I. Lee, 29

Kohyama, K. See T. Sasaki, 101

Kokawa, M. See T. Maeda, 175

Kuktaite, R. See A. Hussain, 80; E. Johansson, 367

Lambrecht, M. A. See A. Pauly, 564

Lamm, F. See L. Liu, 453

Lanning, S., and T. Siebenmorgen, Effects of Preharvest Nighttime Air Temperatures on Whiteness of Head Rice, 218

Lanning, S. P. See L. E. Talbert, 249

Laokuldilok, T., S. Surawang, and J. Klinhom, Effect of Milling on the Color, Nutritional Properties, and Antioxidant Contents of Glutinous Black Rice, 552 Larsson, H. See A. Hussain, 80

Lazewska, I. See B. V. McCleary, 396

Le, D. M., P. Fojan, E. Azem, D. Pettersson, and N. R. Pedersen, Visualization of the Anticaging Effect of Ronozyme WX Xylanase on Wheat Substrates, 439 Lea, J. M. See K. L. Bett-Garber, 58, 521

Lee, B.-H., L. A. Bello-Pérez, A. H.-M. Lin, C. Y. Kim, and B. R. Hamaker, Importance of Location of Digestion and Colonic Fermentation of Starch Related to Its Quality, 335 Lee, I., S. Lee, N. Lee, and S. Ko, Reduced-Fat Mayonnaise Formulated with Gelatinized Rice Starch and Xanthan Gum, 29

Lee, N. See I. Lee, 29

Lee, S. See I. Lee, 29

Lee, S. C. See M. Y. Kang, 497

Lemlioglu-Austin, D., and D. S. Jackson, Starch Pasting and Textural Attributes of Elbow Macaroni as Impacted by Dough Moisture, Dough Mixing Time, and Macaroni Cooking Time, 579

Levine, H. See B. Van Steertegem, 608

Li, E., J. Hasjim, V. Singh, M. Tizzotti, I. D. Godwin, and R. G. Gilbert, Insights into Sorghum Starch Biosynthesis from Structure Changes Induced by Different Growth Temperatures, 223

Li, N. See X. Wu, 198

Lim, K. K. See H. A. Limley, 231

Limley, H. A., G. B. Crosbie, K. K. Lim, H. G. Williams, D. A. Diepeveen, and V. A. Solah, Wheat Quality Requirements for *Char Siew Bao* Made from Australian Soft Wheat, 231

Lin. A. H.-M. See B.-H. Lee, 335

Liu, L., N. Klocke, S. Yan, D. Rogers, A. Schlegel, F. Lamm, S. I Chang, and D. Wang, Impact of Deficit Irrigation on Maize Physical and Chemical Properties and Ethanol Yield, 453

Lu, D., and W. Lu, Effects of Heat Stress During Grain Filling on the Functional Properties of Flour from Fresh Waxy Maize, 65

Lu, L., K. Murphy, and B.-K. Baik, Genotypic Variation in Nutritional Composition of Buckwheat Groats and Husks, 132

Lu, W. See D. Lu, 65

Lu, Z., and K. Seetharaman, ¹H Nuclear Magnetic Resonance (NMR) and Differential Scanning Calorimetry (DSC) Studies of Water Mobility in Dough Systems Containing Barley Flour, 120

Luo, J. See L. Xie, 587

Madl, R. L. See L. Chen, 529

Maeda, T., M. Kokawa, M. Miura, T. Araki, M. Yamada, K. Takeya, and Y. Sagara, Development of a Novel Staining Procedure for Visualizing the Gluten–Starch Matrix in Bread Dough and Cereal Products, 175

Maiani, G. See A. Durazzo, 169

Maier, A. See X. Wu, 198

Malik, A. H. See E. Johansson, 367

Mamone, G. See F. Bonomi, 358

Mănăilă, E. See M. Brașoveanu, 469

Maness, A. See G. W. Selling, 204

Maningat, C. C., P. A. Seib, and S. D. Bassi, Recovery of Resistant Starch by a Classical and a New Assay for Dietary Fiber, 515

Manley, M., C. M. McGoverin, F.-Snyders, N. Muller, W. C. Botes, and G. P. Fox, Prediction of Triticale Grain Quality Properties, Based on Both Chemical and Indirectly Measured Reference Methods, Using Near-Infrared Spectroscopy, 540

Marcone, M. See G. A. Annor, 211

Martin, J. M. See L. E. Talbert, 249

Mauromoustakos, A. See G. O. Ondier, 502

McCleary, B. V., N. Sloane, A. Draga, and I. Lazewska, Measurement of Total Dietary Fiber Using AOAC Method 2009.01 (AACC International Approved Method 32-45.01): Evaluation and Updates, 396

Response to the Views and Opinions of Maningat, Seib, and Bassi Regarding McCleary et al (2013), 517

McClung, A. M. See K. L. Bett-Garber, 521; R. J. Bryant, 445

McGoverin, C. M. See M. Manley, 540

Meinhardt, S. See M. Mendis, 240

Mendis, M., J.-B. Ohm, J. A. Delcour, K. Gebruers, S. Meinhardt, and S. Simsek, Variability in Arabinoxylan, Xylanase Activity, and Xylanase Inhibitor Levels in Hard Spring Wheat, 240

Miura, M. See T. Maeda, 175

Moreau, R. A., and K. B. Hicks, Removal and Isolation of Germ-Rich Fractions from Hull-Less Barley Using a Fitzpatrick Comminuting Mill and Sieves, 546

Morris, C. F. See A. M. Kiszonas, 47, 387

Muller, N. See M. Manley, 540

Murphy, K. See L. Lu, 132

Muthukumarappan, K. See R. Bhadra, 35; P. Fallahi, 186; C. Wood, 70

Nash, D. See L. E. Talbert, 249

Nemţanu, M. R. See M. Braşoveanu, 469

Newson, W. R. See E. Johansson, 367

Ng, P. K. W. See G. G. Hou, 419

Nilsson, L. See A.-C. Eliasson, 326

Ohm, J.-B. See D. C. Doehlert, 572; M. Mendis, 240

Okamoto, K. See T. Sasaki, 101

Ondier, G. O., T. J. Siebenmorgen, and A. Mauromoustakos, Physicochemical Properties of Rice Dried in a Single Pass Using High Temperatures, 502 Orts, W. J. See G. H. Robertson, 1, 13 Pan, Z., R. Khir, and J. F. Thompson, Effect of Milling Temperature and Postmilling Cooling Procedures on Rice Milling Quality Appraisals, 107

Pandya, T. S., R. Srinivasan, and C. P. Thompson, Fiber Separation from Ground Corn Flour Using an Electrostatic Method, 535

Pareyt, B. See A. Pauly, 564; B. Van Steertegem, 269, 608

Pauly, A., B. Pareyt, M. A. Lambrecht, E. Fierens, and J. A. Delcour, Impact of Puroindolines on Semisweet Biscuit Quality: A Fractionation–Reconstitution Approach, 564

Pedersen, J. R. See X. Wu, 198

Pedersen, N. R. See D. M. Le, 439

Perez Vargas, M. A. See L. Chaires Martinez, 263

Pettersson, D. See D. M. Le, 439 Plivelic, T. See E. Johansson, 367

Polito, A. See A. Durazzo, 169

Ponce-García, N., B. Ramírez-Wong, P. I. Torres-Chávez, J. D. Figueroa-Cárdenas, Sergio O. Serna-Saldívar, and M. O. Cortez-Rocha, Effect of Moisture Content on the Viscoelastic Properties of Individual Wheat Kernels Evaluated by the Uniaxial Compression Test Under Small Strain, 558 Prieto-Linde, M. L. See A. Hussain, 80

Radočaj, O., and E. Dimić, Valorization of Wet Okara, a Value-Added Functional Ingredient, in a Coconut-Based Baked Snack, 256

Rakszegi, M. See R. Haraszi, 430

Ramírez-Wong, B. See N. Ponce-García, 558

Rasheed, F. See E. Johansson, 367

Reyes-Duarte, P. See F. Wang, 463

Rico, C. W. See M. Y. Kang, 497

Robertson, G. H., A. E. Blechl, W. J. Hurkman, O. D. Anderson, T. K. Cao, C. K. Tanaka, K. S. Gregorski, and W. J. Orts, Physical Characteristics of Genetically Altered Wheat Related to Technological Protein Separation, 1

, W. Hurkman, O. D. Anderson, C. K. Tanaka, T. K. Cao, and W. J. Orts, Differences in Alcohol-Soluble Protein from Genetically Altered Wheat Using Capillary Zone Electrophoresis, One- and Two- Dimensional Electrophoresis, and a Novel Gluten Matrix Association Factor Analysis, 13

Rogers, D. See L. Liu, 453

Rooney, L. W. See C. Chiremba, 138

Rose, D. J. See A. F. Doblado-Maldonado, 127

Rosell, C. M., R. Altamirano-Fortoul, C. Don, and A. Dubat, Thermomechanically Induced Protein Aggregation and Starch Structural Changes in Wheat Flour Dough, 89

Rosentrater, K. A. See R. Bhadra, 35; P. Fallahi, 186; C. Wood, 70

Ryu, G. See X. Shen, 157

Sagara, Y. See T. Maeda, 175 Saini, R. See G. G. Hou, 419

Sasaki, T., F. Hayakawa, Y. Suzuki, K. Suzuki, K. Okamoto, and K. Kohyama, Characterization of Waxy Rice Cakes (*Mochi*) with Rapid Hardening Quality by Instrumental and Sensory Methods, 101

Schlegel, A. See L. Liu, 453

Seabourn, B. See R. A. Graybosch, 164

Seetharaman, K., and E. Bertoft, Musings on the Architecture and Molecular Arrangement of Polymers in Starch Granules Based on Iodine, 288
 See G. A. Annor, 211; B. Hamaker, 273; Z. Lu, 120

Segtnan, V. H. See S. Teckle, 181

Seib, P. A. See C. C. Maningat, 515

Selling, G. W., A. Maness, S. Bean, and B. Smith, Impact of Thiocyanate Salts on Physical, Thermal, and Rheological Properties of Zein Films, 204

Serna-Saldívar, S. O. See N. Ponce-García, 558

Shaik, S. S. See A. Blennow, 274

Shao, G. See L. Xie, 587

Shen, X., S. Gil, and G. Ryu, Effects of Waxy Rice Moisture Content and Rate of CO₂ Injection on Characteristics of Extruded Pellets and Vacuum-Puffed Yukwa (a Korean Traditional Snack), 157

Sherman, J. D. See L. E. Talbert, 249

Shi, H., and X. Hu, Preparation and Structure Characterization of Carboxymethyl Corn Starch Under Ultrasonic Irradiation, 24

Siebenmorgen, T. See S. Lanning, 218; G. O. Ondier, 502

Simsek, S. See D. C. Doehlert, 572; M. Mendis, 240

Singh, B. See S. Z. Hussain, 480

Singh, V. See E. Li, 223

Sissons, M. See R. Haraszi, 430

Siwela, M. See C. Chiremba, 138

Sjöö, M. See A.-C. Eliasson, 326

Skinnes, H. See S. Teckle, 181

Skryhan, K. See A. Blennow, 274

Slade, L. See B. Van Steertegem, 608

Sloane, N. See B. V. McCleary, 396

Smith, B. See G. W. Selling, 204

Snyders, F. See M. Manley, 540

Solah, V. A. See H. A. Limley, 231

Song, Xiaoyan, Y. Du, Xingnian Song, and Q. Zhao, Effect of High Night Temperature During Grain Filling on Amyloplast Development and Grain Quality in Japonica Rice, 114

Song, Xingnian. See Xiaoyan Song, 114

Srinivasan, R. See T. S. Pandya, 535

Storsley, J. See S. V. Harding, 474

Surawang, S. See T. Laokuldilok, 552

Suzuki, K. See T. Sasaki, 101 Suzuki, Y. See T. Sasaki, 101

Takeya, K. See T. Maeda, 175

Talbert, L. E., P. Hofer, D. Nash, J. M. Martin, S. P. Lanning, J. D. Sherman, and M. J. Giroux, Hard White Versus Hard Red Wheats: Taste Tests and Milling and Baking Properties, 249

Tamás, L. See R. Haraszi, 430

Tanackovic, V. See A. Blennow, 274

Tanaka, C. K. See G. H. Robertson, 1, 13

Tang, S. See L. Xie, 587

Taylor, J., J. O. Anyango, and J. R. N. Taylor, Developments in the Science of Zein, Kafirin, and Gluten Protein Bioplastic Materials, 344

Taylor, J. R. N. See C. Chiremba, 138; J. Taylor, 344

Tekle, S., Å. Bjørnstad, H. Skinnes, Y. Dong, and V. H. Segtnan, Estimating Deoxynivalenol Content of Ground Oats Using VIS-NIR Spectroscopy, 181

Thandapilly, S. J. See S. V. Harding, 474 Thavarajah, D. See D. C. Doehlert, 572

Thavarajah, P. See D. C. Doehlert, 572

Thompson, C. P. See T. S. Pandya, 535

Thompson, J. F. See Z. Pan, 107

Tizzotti, M. See E. Li, 223

Torres-Chávez, P. I. See N. Ponce-García, 558

Trethowan, R. M. See A. L. Dennett, 594

Tulbek, M. See P. Fallahi, 186

Turfani, V. See A. Durazzo, 169

Vadlani, P. V. See L. Chen, 529

Van Steertegem, B., B. Pareyt, K. Brijs, and J. A. Delcour, The Effects of Fresh Eggs, Egg White, and Egg Yolk, Separately and in Combination with Salt, on Mixogram Properties, 269

_____, ___, L. Slade, H. Levine, K. Brijs, and J. A. Delcour, Impact of Heat Treatment on Wheat Flour Solvent Retention Capacity (SRC) Profiles, 608

Wang, D. See L. Liu, 453; X. Wu, 198

Wang, F., W. Huang, P. Reyes-Duarte, H. Wang, and Q. Zhou, Baking Characteristics of Chiffon Cake as Influenced by Microbial Transglutaminase, 463 Wang, H. See F. Wang, 463

Watson, M. A. See K. L. Bett-Garber, 58

Wei, X. See L. Xie, 587

Wilkes, M. A. See A. L. Dennett, 594

Williams, H. G. See H. A. Limley, 231

Witt, T. See R. G. Gilbert, 312

Wood, C., K. A. Rosentrater, K. Muthukumarappan, and Z. Gu, Quantification of Physical and Chemical Properties, and Identification of Potentially Valuable Components from Fuel Ethanol Process Streams, 70

Wu, F., H. Chen, N. Yang, X. Duan, Z. Jin, and X. Xu, Germinated Brown Rice Enhances Antioxidant Activities and Immune Functions in Aged Mice, 601 Wu, T. See X. Wu, 198

Wu, X., A. Maier, T. Wu, N. Li, J. R. Pedersen, and D. Wang, Evaluation of Nebraska Waxy Sorghum Hybrids for Ethanol Production, 198

Xie, L., S. Tang, N. Chen, J. Luo, G. Jiao, G. Shao, X. Wei, and P. Hu, Rice Grain Morphological Characteristics Correlate with Grain Weight and Milling Quality, 587

Xu, X. See F. Wu, 601

Yamada, M. See T. Maeda, 175 Yan, S. See L. Liu, 453 Yan, W. G. See R. J. Bryant, 445 Yang, N. See F. Wu, 601 Yang, R. See Q. Bai, 145 Yeater, K. M. See R. J. Bryant, 445

Zhang, L. See Q. Bai, 145 Zhao, Q. See Xiaoyan Song, 114 Zou, Q. See F. Wang, 463

CEREAL CHEMISTRY®

Subject Index to Volume 90

Page numbers of errata are in italic.

Aggregation, protein, thermomechanically induced and starch structural changes in wheat flour dough, 89

γ-Aminobutyric acid (GABA), salt stress and accumulation of in germinated foxtail millet, 145

α-Amylase, triticale quality, carbohydrate properties, falling number and, 594 Amylopectin, two-directional backbone model of, 294

Amyloplast development, effect of high night temperature during grain filling on in japonica rice, 114

Anticaging effect, of Ronozyme WX xylanase on wheat substrates, visualization of, 439

Antioxidants

-in germinated, popped, and cooked huauzontle seeds, 263

germinated brown rice and, 601

of glutinous black rice, effect of milling on, 552

AOAC method 2009.01, measurement of total dietary fiber using, 396, 515, 517 Arabinoxylans

-cross-linking in cereal and pseudocereal grains by dehydrooligomers of ferulic acid, 507

-variability of in hard spring wheat, 240

-wheat, structure of provides insight into function, 387

Aspergillus oryzae, solid-state fermentation of for nutritional enhancement of

Attenuated total reflectance (ATR) FTIR spectroscopy, for study of impact of bran addition on water properties and gluten secondary structure in wheat flour doughs, 377

Barley (Hordeum vulgare)

-hull-less, removal and isolation of germ-rich fractions from using Fitzpatrick comminuting mill and sieves, 546

-lower 30 minute serum insulin in healthy Sprague-Dawley rats consuming chips from specific flour blends, 474

-nuclear magnetic resonance and differential scanning calorimetry studies of water mobility in dough systems containing flour from, 120

Bioplastics, developments in the science of zein, kafirin, and gluten protein in,

Biscuits (semisweet), impact of puroindolines on quality of, 564

-impact of addition of on water properties and gluten secondary structure in wheat flour doughs, 377

-wheat, free radicals generated on by electron beam, 469

Buckwheat (Fagopyrum esculentum), genotypic variation in nutritional composition of groats and husks, 132

Caging effect, Ronozyme WX xylanase, wheat substrates and, 439

Cake, chiffon, influence of microbial transglutaminase on baking characteris-

Carbohydrate properties, triticale quality, falling number, \alpha-amylase and, 594 Carbon dioxide injection rate, waxy rice, effect on characteristics of extruded pellets and vacuum-puffed yukwa, 157

Carboxymethyl starch (CMS), preparation and structure characterization of under ultrasonic irradiation, 24

CDS. See Condensed distillers solubles

Cereal grains, dehydrotriferulic and dehydrodiferulic acid profiles of, 507 Chalky grain, correlation with rice grain weight and milling quality, 587

Char siew bao, made from Australian soft wheat, wheat quality requirements for, 231

Chinese white salted noodles, relationship between physicochemical properties of wheat flour, wheat protein composition, and textural properties of, 419

CMS. See Carboxymethyl starch

Color

-of glutinous black rice, effect of milling on, 552

-rice, effect of nighttime air temperature on, 218

Condensed distillers solubles (CDS)

effects of varying levels of on flowability properties of DDGS, 35

-quantification of physical and chemical properties, and identification of potentially valuable components from, 70

Cooling procedures, effect on rice milling quality appraisals, 107

Corn. See Maize

Corn starch, preparation and structure characterization of under ultrasonic irradiation, 24

DDGS. See Distillers dried grains with solubles

Degree of substitution (DS), increasing in carboxymethyl starch, 24

Dehydrotriferulic and dehydrodiferulic acid profiles, of cereal and pseudocereal flours, 507

Deoxynivalenol, estimating content in ground oats using VIS-NIR spectrosсору, 181

Differential scanning calorimetry studies, of water mobility in dough systems containing barley flour, 120

Digestion, location of, starch quality and, 335

Distillers dried grains with solubles (DDGS)

effects of steam, moisture, and screw speed on physical properties of extrudates, 186

-effects of varying CDS levels and drying and cooling temperatures on flowability properties of, 35

Dough

containing barley flour, ¹H nuclear magnetic resonance and differential scanning calorimetry studies of water mobility in dough systems containing, 120

-moisture and mixing time, starch pasting and textural attributes of elbow macaroni and, 579

wheat flour, staining procedure for visualizing gluten-starch matrix in, 175 DS. See Degree of substitution

1Dy10 glutenin subunit, transgenic enhancement of, effects in wheat flour blends and sponge and dough baking, 164

Eggs, effects of fresh eggs, egg white, and egg yolk, separately and in combination with salt, on mixogram properties, 269

Electron spin resonance (ESR), for investigation of free radical generation on wheat flour and wheat bran, 469

Electrostatic method, for fiber separation from ground corn flour, 535 Emulsifier, starch as, 326

Endosperm, changes in during sorghum malting, 138

ESR. See Electron spin resonance

evaluation of Nebraska waxy sorghum hybrids for production of, 198

impact of deficit irrigation on maize physical and chemical properties and yield of, 453

quantification of physical and chemical properties, and identification of potentially valuable components from process streams, 70

Expected glycemic index, of Kodo millet, effect of starch-protein-lipid interaction on, 211

Extrudates, DDGS-based, effects of steam, moisture, and screw speed on physical properties of, 186

Extruded pellets, effect of waxy rice moisture content and rate of CO2 injection on characteristics of, 157

Extrusion conditions

effect on pasting behavior and microstructure of refabricated rice, 480

effect on physical properties of DDGS-based extrudates, 186

Falling number, triticale quality, carbohydrate properties, α -amylase and, 594 Fermentation, solid state, of Aspergillus oryzae, nutritional enhancement of soy meal via, 529

Fiber

-recovery of resistant starch by classical and new assays for, 515, 517

separation from ground corn flour using electrostatic method, 535

total dietary, measurement of using AOAC method 2009.01, 396

FitzMilling and sieving, removal and isolation of germ-rich fractions from hull-less barley using, 546

Flour

-barley, ¹H nuclear magnetic resonance and differential scanning calorimetry studies of water mobility in dough systems containing, 120

-barley, lower 30 minute serum insulin in healthy Sprague-Dawley rats consuming chips from specific blends of, 474

cereal and pseudocereal, dehydrotriferulic and dehydrodiferulic acid pro-

- -from fresh waxy maize, effects of heat stress during grain filling on functional properties of, 65
- -ground corn, fiber separation from using electrostatic method, 535
- -particle distribution and composition of retail whole wheat flours separated by sieving, 127
- Foxtail millet (Setaria italica L.), germinated, salt stress induces accumulation of y-aminobutyric acid, 145
- Free radicals, generated on wheat flour and wheat bran by electron beam, 469 FTIR spectroscopy, for study of impact of bran addition on water properties and gluten secondary structure in wheat flour doughs, 377
- Fuel ethanol, quantification of physical and chemical properties, and identification of potentially valuable components from process streams, 70
- Fusarium head blight, VIS-NIR spectroscopy as rapid screening method for resistance, 181

GABA. See y-Aminobutyric acid

GAD. See Glutamate decarboxylase

- Galactooligosaccharides (GOS), nutritional enhancement of soy meal via Aspergillus oryzae solid-state fermentation and, 529
- Gelatinization, impact on the milling breakage susceptibility of parboiled brown rice, 490

Genetic modification

- -future of cereal starch bioengineering, 274
- -of high-molecular-weight glutenin subunit 1Dy10 concentration, effects in wheat flour blends and sponge and dough baking, 164
- -wheat, differences in alcohol-soluble protein from, 13
- -wheat, physical characteristics of related to technological protein separation, 1
- Germinated brown rice, enhancement of antioxidant activities and immune functions in aged mice and, 601
- Glutamate decarboxylase (GAD), salt stress and accumulation of in germinated foxtail millet, 145

Gluten

- -developments in science of bioplastic materials from, 344
- -impact of bran addition on secondary structure of in wheat flour doughs, 377
- -wheat, impact of genotype, environment, and processing on polymer structure and functionality, 367
- Gluten matrix association factor analysis, differences in alcohol-soluble protein from genetically altered wheat and, 13
- Glutenin proteins, transgenic enhancement of, effects in wheat flour blends and sponge and dough baking, 164
- Gluten-starch matrix, novel staining procedure for visualizing in bread dough and cereal products, 175

Glycemic index

- -consuming chips from specific barley flour blends and, 474
- -of Kodo millet, effect of starch-protein-lipid interaction on, 211
- GOS. See Galactooligosaccharides

Grain filling

- -effect of high night temperature during on amyloplast development and grain quality in japonica rice, 114
- temperature during, effect on functional properties of flour from fresh waxy maize, 65

Hard wheats

- -variability in arabinoxylan, xylanase activity, and xylanase inhibitor levels
- -white vs. red, taste tests and milling and baking properties of, 249

Hardness

- -changes in during sorghum malting, 138
- -rheological hardness index for assessing in hexaploids and durums, 430
- -during grain filling, effect on functional properties of flour from fresh waxy maize, 65
- -effect of high night temperature during grain filling on amyloplast development and grain quality in japonica rice, 114
- Heat treatment, impact of, on wheat flour solvent retention capacity profiles,

High-molecular-weight (HMW) protein polymers

- -genetically altered wheat and, 1, 13
- -transgenic enhancement of, effects in wheat flour blends and sponge and dough baking, 164
- H-ORAC. See Hydrophilic oxygen radical absorption capacity Huauzontle (Chenopodium berlandieri spp. nuttalliae), total phenolic content
- and antioxidant capacity of germinated, popped, and cooked seeds, 263 Hull-less barley, removal and isolation of germ-rich fractions from using Fitzpatrick comminuting mill and sieves, 546
- Hydrophilic oxygen radical absorption capacity (H-ORAC), of whole grain colored rice, influence of cooking formulation on, 58

- Immune function, germinated brown rice, antioxidant activities and, 601
- lodine, studies of architecture and molecular arrangement of polymers in starch granules based on, 288
- Irradiation, evolution of the levels of free radicals generated on wheat flour and wheat bran by, 469
- Irrigation, impact of level of on maize physical and chemical properties and ethanol yield, 453
- Japonica rice, effect of high night temperature during grain filling on amyloplast development and grain quality in, 114
- Kafirin, developments in science of bioplastic materials from, 344
- Kodo millet (Paspalum scrobiculatum), in vitro starch digestibility and expected glycemic index of, starch-protein-lipid interactions and, 211
- Lignans, effects of cooking on content of in whole-grain pasta made with different cereals and other seeds, 169
- Macaroni (elbow), effects of dough moisture, dough mixing time, and macaroni cooking time on starch pasting and textural attributes, 579

Maize (Zea mays)

- —fiber separation from ground flour using an electrostatic method, 535
- -fresh waxy, effects of heat stress during grain filling on the functional properties of flour from, 65
- -impact of deficit irrigation on physical and chemical properties and ethanol vield, 453
- Mayonnaise, reduced-fat formulated with gelatinized rice starch and xanthan gum, 29 Millet
- —germinated, salt stress induces accumulation of γ-aminobutyric acid, 145
- in vitro starch digestibility and expected glycemic index of, starch-proteinlipid interactions and, 211

- -effect on appraised milling quality of rough rice and, 107
- -effect on color, nutritional properties, and antioxidant content of glutinous black rice, 552
- effect on rice milling quality appraisals, 107
- Mixogram properties, effects of fresh eggs, egg white, and egg yolk, separately and in combination with salt, on, 269
- Mochi, characterization with rapid hardening quality by instrumental and sensory methods, 101
- Modification, changes in during sorghum malting, 138

Moisture content

- -effect on physical properties of DDGS-based extrudates, 186
- -effect on the viscoelastic properties of individual wheat kernels evaluated by the uniaxial compression test under small strain, 558
- -waxy rice, effect on characteristics of extruded pellets and vacuum-puffed yukwa, 157
- Near-infrared spectroscopy, prediction of triticale grain quality properties using, 540

Nighttime air temperature

- during grain filling, effect of on amyloplast development and grain quality in japonica rice, 114
- effect on color of milled rice, 218
- Noodles, cooked Chinese white salted, relationship between physicochemical properties of wheat flour, wheat protein composition, and textural properties of, 419
- Nuclear magnetic resonance studies, of water mobility in dough systems containing barley flour, 120
- Nutritional properties, of glutinous black rice, effect of milling on, 552

- detailed composition analyses of diverse genotype kernels grown in different environments in North Dakota, 572
- VIS-NIR spectroscopy as rapid screening method for resistance to Fusarium head blight in, 181
- Organic wheat, amount and size distribution of monomeric and polymeric proteins in grain of, 80
- Parboiling, brown rice, impact of starch gelatinization and kernel fissuring on milling breakage susceptibility of, 490
- Particle size, wheat flour, effect of on sponge cake baking quality, 150

- -cooked Chinese white salted noodles, relationship between physicochemical properties of wheat flour, wheat protein composition, and textural properties of, 419
- effects of dough moisture, dough mixing time, and macaroni cooking time on starch pasting and textural attributes of elbow macaroni, 579

—whole-grain made with different cereals and other seeds, effect of cooking on lignans content in, 169

Pasting properties

—of elbow macaroni as impacted by dough moisture, dough mixing time, and macaroni cooking time, 579

-of refabricated rice, effect of extrusion conditions on, 480

Pectic polysaccharides, cross-linking in cereal and pseudocereal grains by dehydrooligomers of ferulic acid, 507

Phenolics, in germinated, popped, and cooked huauzontle seeds, 263

Pigmented rice, effect of milling on color, nutritional properties, and antioxidant content of, 552

Polymeric proteins

amount and size distribution of monomeric and polymeric in grain of organic wheat, 80

—wheat gluten, impact of genotype, environment, and processing on polymer structure and functionality, 367

Polyphenol oxidase (PPO), properties of hard white vs. hard red wheats and, 249

PPO. See Polyphenol oxidase

Protein

—amount and size distribution of monomeric and polymeric in grain of organic wheat, 80

 genetic variation and association mapping of concentration of in brown rice using a diverse rice germplasm collection, 445

-genetically altered wheat, differences in alcohol-soluble, 13

—genetically altered wheat, physical characteristics of related to technological separation, 1

—thermomechanically induced aggregation and starch structural changes in wheat flour dough, 89

—wheat, relationship with physiochemical properties of wheat flour and textural properties of cooked Chinese white salted noodles, 419

Pseudocereals, dehydrotriferulic and dehydrodiferulic acid profiles of, 507 Puroindolines, impact on semisweet biscuit quality, 564

Rapid hardening quality, characterization of waxy rice cakes with, 101

Resistant starch, recovery of by classical and new assays for dietary fiber, 396, 515, 517

Retrogradation, in bread staling, 326

Rheological hardness index, for assessing hardness of hexaploids and durums, 430

Rice (Oryza sativa)

—brown, genetic variation and association mapping of protein concentration in using diverse germplasm collection, 445

 —characterization of waxy rice cakes with rapid hardening quality by instrumental and sensory methods, 101

—correlation of grain morphological characteristics with grain weight and milling quality, 587

—dried in single pass using high temperatures, physiochemical properties of, 502

—effect of high night temperature during grain filling on amyloplast development and grain quality in, 114

 effect of milling temperature and postmilling cooling procedures on milling quality appraisals, 107

—effect of moisture content and rate of CO₂ injection on characteristics of extruded pellets and vacuum-puffed yukwa, 157

-effect of nighttime air temperature on color of, 218

 —germinated brown, enhancement of antioxidant activities and immune functions in aged mice and, 601

—glutinous black, effect of milling on color, nutritional properties, and antioxidant content of, 552

-newly developed pigmented cultivars in Korea, antioxidant capacity of, 497

 —parboiled brown, impact of starch gelatinization and kernel fissuring on milling breakage susceptibility of, 490

 refabricated, effect of extrusion conditions on pasting behavior and microstructure of, 480

—whole grain, influence of cooking formulation on flavor and hydrophilic oxygen radical absorption capacity values of, 58

—whole grain, with diverse bran color, correlation of sensory, cooking, physical, and chemical properties of, 521

Rice starch, gelatinized, reduced-fat mayonnaise and, 29

Ronozyme WX xylanase, visualization of anticaging effect of on wheat substrates, 439

Salt stress, accumulation of γ -aminobutyric acid in germinated foxtail millet and, 145

Screw speed, effect on pasting behavior and microstructure of refabricated rice, 480

Sieving, particle distribution and composition of retail whole wheat flours separated by, 127 Soft wheats

-comprehensive survey of grain quality in U.S. germplasm, 47

—quality requirements for char siew bao made from Australian soft wheat, 231

Solvent retention capacity, impact of heat treatment on wheat flour profiles, 608

Sorghum

—hardness changes and endosperm modification during malting in grains of varying hardness and malt quality, 138

—insights into starch biosynthesis from structure changes induced by different growth temperatures, 223

-Nebraska waxy hybrids, evaluation for ethanol production, 198

Soy meal, nutritional enhancement via Aspergillus oryzae solid-state fermentation, 529

Soy milk residue, as value-added functional ingredient in coconut-based snack, 256

Spectroscopy

-as a rapid screening method for resistance of Fusarium-inoculated oats, 181

—for study of impact of bran addition on water properties and gluten secondary structure in wheat flour doughs, 377

-prediction of triticale grain quality properties using, 540

Sponge cake, effect of wheat flour particle size on baking quality, 150 Starches

—architecture and molecular arrangement of polymers in granules, 288

 carboxymethyl, preparation and structure characterization of under ultrasonic irradiation, 24

-future of bioengineering of, 274

—gelatinization of, impact on milling breakage susceptibility of parboiled brown rice, 490

-gelatinized rice, reduced-fat mayonnaise and, 29

-importance of location of digestion and colonic fermentation of, 335

-of Kodo millet, effect of starch-protein-lipid interaction on digestibility, 211

-multiple-level characterization of, 312

—pasting and textural attributes of elbow macaroni as impacted by dough moisture, dough mixing time, and macaroni cooking time, 579

resistant, recovery of by classical and new assays for dietary fiber, 515, 517
 sorghum, insights into biosynthesis from structure changes induced by

different growth temperatures, 223

structure-function relationships in, 326
 thermomechanically induced structural changes in wheat flour dough, 89

-two-directional backbone model of amylopectins and, 294

Starch-gluten matrix, novel staining procedure for visualizing in bread dough and cereal products, 175

Starch-protein-lipid interactions, effect on in vitro starch digestibility and expected glycemic index of Kodo millet, 211

Steam, effect on physical properties of DDGS-based extrudates, 186

TAXI. See Triticum aestivum xylanase inhibitor

Temperature

—during grain filling, effect on functional properties of flour from fresh waxy maize, 65

—effect of high night temperature during grain filling on amyloplast development and grain quality in japonica rice, 114

-effect on rice milling quality appraisals, 107

effects on sorghum starch structures, 223

-nighttime air, effect on color of milled rice, 218

Thin stillage, quantification of physical and chemical properties, and identification of potentially valuable components from, 70

Thiocyanate salts, impacts on physical, thermal, and rheological properties of zein films. 204

Total dietary fiber, measurement of using AOAC method 2009.01, 396, 515, 517Total extractable polymeric proteins (TOTE), amount and size distribution of monomeric and polymeric in grain of organic wheat, 80

Transgenic enhancement. See Genetic modification

Transglutaminase, microbial, effect on baking characteristics of chiffon cake, 463

Triticale (Triticosecale × Wittmack)

prediction of grain quality based on chemical and indirectly measured reference methods using near-infrared spectroscopy, 540

—relationship between carbohydrate properties, α -amylase, and falling number and, 594

Triticum aestivum xylanase inhibitor (TAXI), variability of in hard spring wheat, 240

Two-directional backbone model of amylopectin structure, 294

Ultrasonic treatment, preparation and structure characterization of carboxymethyl corn starch under, 24

Uniaxial compression test under small strain, for effect of moisture content on the viscoelastic properties of individual wheat kernels evaluated, 558

- Viscoelastic properties, of individual wheat kernels, effects of moisture content on, 558
- VIS-NIR spectroscopy, as a rapid screening method for resistance of Fusarium-inoculated oats, 181
- Water mobility, ¹H nuclear magnetic resonance and differential scanning calorimetry studies of in dough systems containing barley flour, 120
- Waxy rice, effect of moisture content and rate of CO₂ injection on characteristics of extruded pellets and vacuum-puffed yukwa, 157
- Waxy rice cakes, characterization with rapid hardening quality by instrumental and sensory methods, 101
- Waxy sorghum hybrids, evaluation for ethanol production, 198
- Wet okara, as value-added functional ingredient in coconut-based snack, 256 Wheat (Triticum aestivum L.)
- -arabinoxylan structure provides insight into function, 387
- -beyond proteomics for study of, 358
- -comprehensive survey of grain quality in U.S. germplasm, 47
- effect of moisture content on the viscoelastic properties of individual kernels evaluated by the uniaxial compression test under small strain, 558
- -genetically altered, differences in alcohol-soluble protein from, 13
- genetically altered, physical characteristics of related to technological protein separation, 1
- —genetically modified, high-molecular-weight glutenin subunit 1Dy10 concentration and effects in wheat flour blends and sponge and dough baking, 164
- —gluten polymer, impact of genotype, environment, and processing on polymer structure and functionality, 367
- —hard spring, variability in arabinoxylan, xylanase activity, and xylanase inhibitor levels in, 240
- hard white vs. hard red, taste tests and milling and baking properties of, 249
 impact of bran addition on water properties and gluten secondary structure
- in flour doughs, 377
 —impact of puroindolines on semisweet biscuit quality and, 564
- organic, amount and size distribution of monomeric and polymeric proteins in grain of, 80

- —quality requirements for char siew bao made from Australian soft wheat, 231
- —rheological hardness index for assessing hardness of hexaploids and durums, 430
- variability in arabinoxylan, xylanase activity, and xylanase inhibitor levels in, 240
- -white vs. red, taste tests and milling and baking properties of, 249
- Wheat flour
- -effect of particle size on sponge cake baking quality, 150
- —particle distribution and composition of retail whole wheat flours separated by, 127
- —physicochemical properties of, relationship with wheat protein composition and textural properties of cooked Chinese white salted noodles, 419
- -solvent retention capacity, impact of heat treatment on profiles, 608
- -staining procedure for visualizing gluten-starch matrix in bread dough, 175
- —thermomechanically induced protein aggregation and starch structural changes in dough, 89
- Whole grain rice, influence of cooking formulation on flavor and hydrophilic oxygen radical absorption capacity values of, 58
- Xanthan gum, reduced-fat mayonnaise and, 29
- Xylanase inhibiting protein (XIP), variability of in hard spring wheat, 240 Xylanases
- —Ronozyme WX, visualization of anticaging effect of on wheat substrates, 439
- —variability of in hard spring wheat, 240

Yukwa, effect of waxy rice moisture content and rate of CO₂ injection on characteristics of, 157

7eir

- —developments in science of bioplastic materials from, 344
- impact of thiocyanate salts on physical, thermal, and rheological properties of films, 204